



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

W.No.23

AMARAVATI, MONDAY, JUNE 14, 2021

G.105

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS  
AND OTHER OFFICERS**

--X--

**NOTIFICATIONS BY GOVERNMENT**

**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY DEPARTMENT  
(SECTION.II)**

FOREST RESERVATION - WEST GODAVARI DISTRICT AND ELURU DIVISION -  
KANNAPURAM RANGE - ORRINKA FOREST BLOCK-I TO AN EXTENT OF  
Ac. 105.41 Cents OR 42.66 Ha. OF COMPENSATORY AFFORESTATION LAND IN  
Sy.No.50, ORRINKA VILLAGE OF BUTTAIGUDEM MANDAL IN  
WEST GODAVARI DISTRICT, AS PROTECTED FOREST UNDER SECTION 24  
OF THE ANDHRA PRADESH FOREST ACT, 1967 (ANDHRA PRADESH  
ACT NO.1 OF 1967).

*[G.O.Ms.No.30, Environment, Forests, Science & Technology (Section.II), 9<sup>th</sup> June, 2021.]*

**NOTIFICATION**

In exercise of the powers conferred under section-24 of the Andhra Pradesh Forest Act, 1967 (Act No.I of 1967), Government of Andhra Pradesh hereby declares that, it is proposed to constitute the land within the boundaries specified in the schedule below (Delineated in the map is kept in the office of Principal Chief Conservator of Forests, (HoFF), A.P., Guntur) as Protected Forest under the said act, with effect from the date of publication in the Andhra Pradesh State Gazette.

**SCHEDULE**

Name of the District	:	West Godavari
Name of the Division	:	Eluru
Name of the Mandal	:	Buttaigudem
Name of the Range	:	Kannapuram
Name of the Village	:	Orrinka
Name of the Proposed Forest Block.	:	Orrinka-1
Extent of the Proposed Forest Block.	:	Ac.105.41 cts. or 42.66 ha

Details of area included in the Proposed Forest Block.

Name of the Village	Classification/ Nature of land	Sy. No	Extent of Sy.No specified in column no.3	Area included in the block from out of the extent in column no.4
1	2	3	4	5
Orrinka	Un Reserved	50	Ac.105.41 cts/ 42.66 ha	Ac.105.41 cts/ 42.66 ha

**BOUNDARY DESCRIPTION**

**North:** The boundary line starts from station No.1 which is located on North-West side of the block, it runs towards North - East direction passing through the station Nos.2, 3, 4, 5, 6, 7, 8, 9, and reaches station No.10.

On the Northern side of the block Revenue patta lands exists.

Station No.		Bearing in Degrees	Distance in Meters	Distance in links
From	To			
1	2	81°	259.10	1295.50
2	3	64°	71.84	359.20
3	4	67°	85.34	426.70
4	5	71½°	130.80	654.00
5	6	73½°	109.60	548.00
6	7	70½°	113.70	568.50
7	8	71½°	116.30	581.50
8	9	74½°	246.60	1233.00
9	10	80½°	243.00	1215.00

**East:** The boundary line runs from station No.10 in South - East direction passing through the station No.11 and reaches station No.12. From there the line runs in South - West direction passing through the station Nos.13, 14 and 15 till it reaches station No.16.

On the Eastern side of the block Revenue patta lands exists.

Station No.		Bearing in Degrees	Distance in Meters	Distance in links
From	To			
10	11	116 $\frac{1}{2}$ °	102.00	510.00
11	12	137 $\frac{1}{2}$ °	34.63	173.15
12	13	188°	66.30	331.50
13	14	185°	83.73	418.65
14	15	216°	35.87	179.35
15	16	220°	26.25	131.25

**South:** Thence the line runs from station No.16, in South - West direction passing through the station No.17, 18, till it reaches station No.19, from there it runs in North - West direction with magnetic bearing 275° over a distance of 51.14 mt and reaches station No.20, from there the line runs in South - West direction passing through the station Nos. 21, 22, 23, 24, 25, 26, 27, 28, 29 till it reaches station no.30.

On the Southern side of the block Chintapalli RF exists.

Station no.		Bearing in Degrees	Distance in Meters	Distance in links
From	To			
16	17	241°	112.80	564.00
17	18	250 $\frac{1}{2}$ °	118.00	590.00
18	19	262°	32.15	160.75
19	20	275°	51.14	255.70
20	21	268°	72.21	361.05
21	22	266°	108.50	542.50
22	23	255°	77.97	389.85
23	24	246°	151.90	759.50
24	25	260 $\frac{1}{2}$ °	26.91	134.55
25	26	257°	89.31	446.55
26	27	256 $\frac{1}{2}$ °	175.80	879.00
27	28	251°	162.90	814.50
28	29	253°	200.60	1003.00
29	30	259 $\frac{1}{2}$ °	177.00	885.00

**West:** Thence the line runs from station No.30, in North - East direction passing through the station Nos.31, 32, 33, till it reaches station No.1, which is the starting point of the block.

On the Western side of the block Revenue patta lands exists.

Station No.		Bearing in Degrees	Distance in Meters	Distance in links
From	To			
30	31	8½°	77.61	388.05
31	32	18½°	70.34	351.70
32	33	21°	85.77	428.85
33	1	28½°	93.58	467.90

Note: 1). There are no enclosures to be allowed within the block.

2). There are no rights of ways admitted within the block.

**VIJAY KUMAR GSRKR,**

*Secretary to Government,*

*EFS & T Department.*

## ప్రకటన

ఆంధ్రప్రదేశ్ అటవీ చట్టం, 1967 సందలి 24 వ విభాగము (1967 లో 1వ ఉపవిభాగం) ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ గవర్నరుగారు ఈ క్రింది అనుసూచితో నిర్దేశించిన సరిహద్దులు గల భూమిని {ఇందులకు సంబంధించిన పటమును ప్రధాన ముఖ్య అటవీ సంరక్షణాధికారి, (అటవీ దళాధిపతి) ఆంధ్రప్రదేశ్, గుంటూరు వారి కార్యాలయము నందు ఉంచడమైనది} ఆంధ్రప్రదేశ్ ప్రభుత్వ గెజిట్ నందు ప్రకటింపబడిన తేదీ నుండి రక్షిత అడవిగా గుర్తించబడునని ఇందుమూలముగా తెలియజేయడమైనది.

## అనుసూచి

జిల్లా పేరు	: పశ్చిమ గోదావరి జిల్లా
డివిజను పేరు	: ఏలూరు
మండలం పేరు	: బుట్టాయగూడెం
రేంజి పేరు	: కన్నాపురం
గ్రామము పేరు	: ఉర్రింక
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	: ఉర్రింక -1
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	: ఎ. 105.41 సెంటులు/ 42.66 హెక్టార్లు.

ప్రతిపాదించబడిన బ్లాకులో చేర్చబడిన విస్తీర్ణం వివరములు

డిారు పేరు	ఆ నేల తీరు	సర్వే నెం.	3వ గడిలోని సర్వే నం విస్తీర్ణం హె. (రెవెన్యూ అడంగల్/ పహణి ప్రకారం)	4వ గడిలోని విస్తీర్ణం నుండి రక్షిత అడవి బ్లాకులో చేర్చబడిన విస్తీర్ణం హె. (రెవెన్యూ అడంగల్/ పహణి ప్రకారం)
1	2	3	4	5
ఉర్రింక	అన్ రిజర్వ్	50	ఎ 105.41 సెంట్లు. / 42.66 హె.	ఎ 105.41 సెంట్లు. / 42.66 హె.

### సరిహద్దులు

ఉత్తరం : ఈ ప్రతిపాదిత ప్రాంతం యొక్క సరిహద్దు గీత స్టేషన్ నెం.1 ఈ బ్లాకు యొక్క వాయువ్య దిశలో ప్రారంభమై అచట నుండి ఈశాన్య దిశలో స్టేషన్ నెం.2, 3, 4, 5, 6, 7, 8, 9, మీదుగా ప్రయాణించి స్టేషన్ నెం.10 కు చేరుతుంది.

ఈ బ్లాకు యొక్క ఉత్తర దిశలో రెవెన్యూ పట్టా భూములు కలవు.

స్టేషన్ నెం.		మీగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో
నుండి	వరకు			
1	2	81 <sup>0</sup>	259.10	1295.50
2	3	64 <sup>0</sup>	71.84	359.20
3	4	67 <sup>0</sup>	85.34	426.70
4	5	71½ <sup>0</sup>	130.80	654.00
5	6	73½ <sup>0</sup>	109.60	548.00
6	7	70½ <sup>0</sup>	113.70	568.50
7	8	71½ <sup>0</sup>	116.30	581.50
8	9	74½ <sup>0</sup>	246.60	1233.00
9	10	80½ <sup>0</sup>	243.00	1215.00

తూర్పు : తదుపరి సరిహద్దు గీత స్టేషన్ నెం.10 నుండి ఆగ్నేయ దిశలో స్టేషన్ నెం.11 మీదుగా ప్రయాణించి స్టేషన్ నెం.12 కు చేరుతుంది. అక్కడ నుండి సరిహద్దు గీత నైరుతి దిశలో స్టేషన్ నెం.13, 14, 15 మీదుగా ప్రయాణించి స్టేషన్ నెం.16 కు చేరుతుంది.

ఈ బ్లాకు యొక్క తూర్పు దిశలో రెవెన్యూ పట్టా భూములు కలవు.

స్టేషన్ నెం.		మీగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో
నుండి	వరకు			
10	11	116½°	102.00	510.00
11	12	137½°	34.63	173.15
12	13	188°	66.30	331.50
13	14	185°	83.73	418.65
14	15	216°	35.87	179.35
15	16	220°	26.25	131.25

దక్షిణము : తదుపరి సరిహద్దు గీత స్టేషన్ నెం.16 నుండి నైరుతి దిశలో స్టేషన్ నెం.17, 18, మీదుగా ప్రయాణించి స్టేషన్ నెం.19 కు చేరుతుంది.

అక్కడ నుండి వాయువ్య దిశలో 275° బేరింగు తో 51.14 మీ. దూరం ప్రయాణించి స్టేషన్ నెం.20 కు చేరుతుంది. అక్కడ నుండి నైరుతి దిశలో స్టేషన్ నెం.21, 22, 23, 24, 25, 26, 27, 28, 29 మీదుగా ప్రయాణించి స్టేషన్ నెం.30 కు చేరుతుంది.

ఈ బ్లాకు యొక్క దక్షిణ దిశలో చింతపల్లి రక్షిత అడవి కలదు.

స్టేషన్ నెం.		మీగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో
నుండి	వరకు			
16	17	241°	112.80	564.00
17	18	250½°	118.00	590.00
18	19	262°	32.15	160.75
19	20	275°	51.14	255.70
20	21	268°	72.21	361.05
21	22	266°	108.50	542.50
22	23	255°	77.97	389.85
23	24	246°	151.90	759.50
24	25	260½°	26.91	134.55
25	26	257°	89.31	446.55
26	27	256½°	175.80	879.00
27	28	251°	162.90	814.50
28	29	253°	200.60	1003.00
29	30	259½°	177.00	885.00

పడమర : తదుపరి సరిహద్దు గీత స్టేషన్ నెం.30 నుండి ఈశాన్య దిశలో స్టేషన్  
నెం.31, 32, 33 మీదుగా స్టేషన్ నెం.1 అనగా ఈ బ్లాకు యొక్క  
ప్రారంభ స్టేషన్ కు చేరుతుంది.

ఈ బ్లాకు యొక్క పడమర దిశలో రెవెన్యూ పట్టా భూములు కలవు.

స్టేషన్ నెం.		మీగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో
నుండి	వరకు			
30	31	8½ <sup>0</sup>	77.61	388.05
31	32	18½ <sup>0</sup>	70.34	351.70
32	33	21 <sup>0</sup>	85.77	428.85
33	1	28½ <sup>0</sup>	93.58	467.90

రిమార్కులు:

1. ఈ ప్రతిపాదిత అడవి బ్లాకులోపల ఏ విధమైన గ్రామములు/ ప్రాంతములు  
(ఎంక్లోజర్స్) - లేవు.
2. అనుమతించవలసిన రహదారులు - లేవు.

అటవీ క్షేత్రాధికారి  
కన్నాపురం.

జిల్లా అటవీ అధికారి,  
పశ్చిమగోదావరి, ఏలూరు.

---X---